


BE PART OF **GENERATION G**
Glatopa®: a generic glatiramer acetate with an identity all its own.

Lifestyle manual for patients on Glatopa



Available in 2 dosage strengths:

- ✓ 3-times-a-week Glatopa 40 mg/mL
- ✓ Once-daily Glatopa 20 mg/mL

Indication

Glatopa® (glatiramer acetate injection) is indicated for the treatment of patients with relapsing-forms of multiple sclerosis.

Important Safety Information

Do not take Glatopa® if you are allergic to glatiramer acetate, mannitol, or any of the ingredients in Glatopa.

Please see additional Important Safety Information on pages 2, 5, and 6, and enclosed full Prescribing Information.

SANDOZ A Novartis
Division

Glatopa®
(glatiramer acetate injection)
20mg/mL • 40mg/mL

What is Glatopa®?

Glatopa (glatiramer acetate injection) is an FDA-approved, substitutable generic that is therapeutically equivalent to Copaxone® (glatiramer acetate injection).

That means it is made with the same active ingredient found in Copaxone®.

	Glatopa® (glatiramer acetate injection)	Copaxone® (glatiramer acetate injection)
Glatiramer Acetate	✓	✓
Therapeutically Equivalent	✓	✓
Patient Support Services Center	✓	✓
Co-Pay Savings Program	✓	✓
Injection Device	✓	✓
Once-Daily Dosing (20 mg/mL)	✓	✓
3-Times-a-Week Dosing (40 mg/mL)	✓	✓

More About Glatopa

- Glatiramer acetate, the same active ingredient found in Copaxone®, has been used to treat relapsing-forms of multiple sclerosis for over 20 years
- Glatopa is given under the skin (subcutaneous injection) and may be administered with the Glatopaject® injection device
- More than 14,000 patients have been prescribed once-daily Glatopa 20 mg/mL, which has been available since 2015
- Glatopa is made in the USA

Copaxone is a registered trademark of Teva Pharmaceutical Industries Ltd.

Important Safety Information (cont'd)

Some patients report a short-term reaction within minutes after injecting glatiramer acetate. This reaction can involve flushing (feeling of warmth and/or redness), chest tightness or pain with heart palpitations, fast heartbeat, anxiety, and trouble breathing. These symptoms generally appear within minutes of an injection, last about 15 minutes, and do not require specific treatment. During the postmarketing period, there have been reports of patients with similar symptoms who received emergency medical care.

If symptoms become severe, call the emergency phone number in your area. Call your doctor right away if you develop hives, skin rash with irritation, dizziness, sweating, chest pain, trouble breathing, or severe pain at the injection site. If any of the above occurs, do not give yourself any more injections until your doctor tells you to begin again.

Please see additional Important Safety Information on pages 1, 5, and 6, and enclosed full Prescribing Information.

2

How can GlatopaCare® help?

Once you have enrolled in GlatopaCare, we can help you start your medicine and feel confident and comfortable with self-injection. If you haven't yet enrolled in GlatopaCare, you can sign up by calling **1.855.GLATOPA** or by visiting glatopa.com/enroll. GlatopaCare support services are also available to family and caregivers.

3 ways to make GlatopaCare work for you



Meet your GlatopaCare Representative

Your GlatopaCare Representative can help you with any questions regarding insurance and Co-Pay eligibility. He or she can also connect you with a Nurse Trainer to assist with injection training.

Dedicated Representatives are available 8 AM-8 PM ET M-F. If it is after hours, please leave a message.



Save money with the Glatopa Co-Pay Program

You may be eligible* for a **\$0 Co-Pay** per month for your Glatopa® (glatiramer acetate injection) 40 mg/mL or 20 mg/mL prescription. Call GlatopaCare at **1.855.GLATOPA** to find out more.



Schedule your free injection training with a GlatopaCare Nurse Trainer

Just call **1.855.GLATOPA** to set up an appointment.

A GlatopaCare Nurse Trainer can meet with you at your home or call you over the phone. He or she will provide instruction on administering Glatopa and using the Glatopaject® injection device.

Nurse Trainers are also available by phone 24/7. Call a Nurse Trainer with your injection questions any time of day or night.



Talk to a GlatopaCare Representative or schedule a session with a Nurse Trainer at **1.855.GLATOPA (1.855.452.8672)**

*Glatopa Co-Pay Program Eligibility

The Glatopa Co-Pay Program provides up to \$9,000 in annual Co-Pay support for Glatopa prescriptions. This program is not health insurance. This program is for insured patients only; uninsured cash-paying patients are not eligible. Patients are not eligible if prescriptions are paid, in whole or in part, by any state or federally funded programs, including but not limited to Medicare (including Part D, even in the coverage gap) or Medicaid, Medigap, VA, DOD, or TriCare, or private indemnity, or HMO insurance plans that reimburse you for the entire cost of your prescription drugs, or where prohibited by law. Card may not be combined with any other rebate, coupon, or offer. Sandoz reserves the right to rescind, revoke, or amend this offer without further notice.

3

Are you switching medications?

Your doctor or pharmacist may have decided it's time to switch from Copaxone® (glatiramer acetate injection) to Glatopa® (glatiramer acetate injection). Not to worry! You can expect a quality medicine and patient support services similar to what you're already accustomed to.

The medicine you expect, the support you deserve

- **A generic medication with services that support a seamless transition:** Glatopa has the same active ingredient, same dosage strengths, and the same route of administration as Copaxone®, which helps make switching easy
- **GlatopaCare®:** offers a **\$0 Co-Pay* Savings Program** and free, individualized support services, including insurance and benefits information, 1-on-1 training, and 24/7 nurse support



Copaxone is a registered trademark of Teva Pharmaceutical Industries Ltd.

*Glatopa Co-Pay Program Eligibility

The Glatopa Co-Pay Program provides up to \$9,000 in annual Co-Pay support for Glatopa prescriptions. This program is not health insurance. This program is for insured patients only; uninsured cash-paying patients are not eligible. Patients are not eligible if prescriptions are paid, in whole or in part, by any state or federally funded programs, including but not limited to Medicare (including Part D, even in the coverage gap) or Medicaid, Medigap, VA, DOD, or TriCare, or private indemnity, or HMO insurance plans that reimburse you for the entire cost of your prescription drugs, or where prohibited by law. Card may not be combined with any other rebate, coupon, or offer. Sandoz reserves the right to rescind, revoke, or amend this offer without further notice.

Keep the dosing option that works for you

Glatopa® (glatiramer acetate injection) is available in 2 dosage strengths: 3-times-a-week 40 mg/mL or a once-daily 20 mg/mL. Both dosage strengths are given under the skin (subcutaneous injection).

- With Glatopa 40 mg/mL, you only need an injection 3 times a week. That means you can plan injection-free weekends!

Example dosing schedule:

	✓		✓		✓	
Sun	Mon	Tue	Wed	Thu	Fri	Sat

Leave at least 48 hours between injections.

- **Similar injection device:** the Glatopject® injection device is similar to other devices on the market, so your injection experience will remain the same. Your Glatopject injection device is included in the Glatopa Starter Kit.

Important Safety Information (cont'd)

Chest pain may occur either as part of the immediate postinjection reaction or on its own. This pain should only last a few minutes. You may experience more than one such episode, usually beginning at least one month after starting treatment. Tell your doctor if you experience chest pain that lasts for a long time or feels very intense.

A permanent indentation under the skin (lipoatrophy) or, rarely, necrosis at the injection site may occur, due to local destruction of fat tissue. Be sure to follow proper injection technique and inform your doctor of any skin changes.

Please see additional Important Safety Information on pages 1, 2, and 6, and enclosed full Prescribing Information.

Glatopa® Co-Pay Program



You may be eligible* for a \$0 Co-Pay on your monthly Glatopa® (glatiramer acetate injection) prescription.

That's \$0 out-of-pocket Co-Pay for your 3-times-a-week Glatopa 40 mg/mL or once-daily Glatopa 20 mg/mL.

*See Glatopa Co-Pay Program Eligibility on page 4

How does the Co-Pay Program work?

Eligibility requirements for the Glatopa Co-Pay Program

- Maximum of 12 uses per year after activation
- Up to \$9,000 in annual Co-Pay support for Glatopa prescriptions
- Limited to commercially insured patients only; uninsured cash-paying patients are not eligible
- Not open to patients whose prescriptions are paid, in whole or in part, by any state or federally funded programs, including (but not limited to):
 - Medicare (including part D, even in the coverage gap)
 - Medicaid
 - Medigap
 - VA
 - DOD or Tricare, or private indemnity
 - HMO insurance plans that reimburse you for the entire cost of your prescription drugs
 - Areas where our Co-Pay program may be prohibited by law

Call **1.855.GLATOPA** (1.855.452.8672) to find out more

Important Safety Information (cont'd)

The most common side effects in studies of glatiramer acetate injection are redness, pain, swelling, itching, or a lump at the site of injection, flushing, rash, shortness of breath, and chest pain. These are not all of the possible side effects of glatiramer acetate. For a complete list, ask your doctor or pharmacist. Tell your doctor about any side effects you have while taking Glatopa.

To report SUSPECTED ADVERSE REACTIONS, contact Sandoz Inc. at 1-800-525-8747 or FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

Please see additional Important Safety Information on pages 1, 2, and 5, and enclosed full Prescribing Information.

Individualized Injection Support

Glatopaject® injection device

Both the 40 mg/mL and 20 mg/mL dosage strengths are administered under the skin (subcutaneous injection) using the Glatopaject injection device, which is included in your Glatopa® (glatiramer acetate injection) Starter Kit.



24/7 Nurse Support

GlatopaCare® Nurse Trainers are available any time of day or night to provide answers to injection questions and guidance about self-injection and proper injection technique.



Injection training at home or over the phone

Your GlatopaCare Nurse Trainer will:

- Call you to schedule the training session
- Show you how to use your Glatopaject device so that you can feel more confident injecting on your own
- Give you pointers on when and where to inject to make your injection experience more comfortable

Your GlatopaCare Nurse Trainer can meet you and your family at your home and provide instruction on how to administer Glatopa and use your Glatopaject injection device.

They can also provide instruction over the phone. Just call **1.855.GLATOPA** to set up an appointment or get answers to any injection questions you may have.



For a refresher training at any time, you can view the Glatopa Injection Demonstration video or download Glatopaject Instructions for Use at glatopa.com/glatopaject

Frequently Asked Questions

To help you start your treatment with Glatopa® (glatiramer acetate injection), we have answered some of your most frequently asked questions.

Q. Is Glatopa as safe and effective as Copaxone® (glatiramer acetate injection)?

- A. Glatopa is therapeutically equivalent to Copaxone®. This means that it contains the same active ingredient and is expected to work the same way as Copaxone®.

Q. How do I use Glatopa?

- A. Once-daily Glatopa 20 mg/mL and 3-times-a-week Glatopa 40 mg/mL are both administered subcutaneously (under the skin). If you've been using Copaxone®, you won't need to change your dosing routine.

Q. Will the support services I receive be similar to what I was receiving with Copaxone®?

- A. Yes, GlatopaCare® support services include 1-on-1 injection training with a GlatopaCare Nurse Trainer, 24/7 nurse support, and your own dedicated GlatopaCare Representative who can answer your injection questions. Simply call **1.855.GLATOPA** with questions or to set up an injection training session. If you're switching from Copaxone®, these services may feel familiar to you.

Q. Will I be provided with an injection device?

- A. Yes, the Glatopaject® injection device is included in your Glatopa Starter Kit. Glatopaject is designed to work like the other injection devices on the market, so if you are accustomed to using an injection device, Glatopaject should feel familiar. Please see the Glatopaject Instructions for Use at www.glatopa.com.

Q. What can I do if I have questions that aren't answered here?

- A. Call your GlatopaCare Representative at **1.855.GLATOPA**. Dedicated Representatives are available 8 AM - 8 PM ET M-F. If it is after hours, you may leave a message. Or, visit glatopa.com.

Copaxone is a registered trademark of Teva Pharmaceutical Industries Ltd.



Enroll in GlatopaCare® patient support services today!

Call **1.855.GLATOPA** (1.855.452.8672) or visit glatopa.com/enroll

My Glatopaject[®] Injection Calendar

To help keep track of your injections, peel off magnet and place on your refrigerator.



Injection Sites	M	Tu	W	Th	F	Sa	Su
Abdomen							
Left Thigh							
Right Thigh							
Left Arm							
Right Arm							
Left Hip							
Right Hip							

Please see the Glatopaject Instructions for Use at glatopacare.com. Talk with your doctor about the injection areas that are best for you.

My Glatopacare[®] Team

To help keep track of your team, peel off magnet and place on your refrigerator.



My Team Member	Name	Phone Number	Notes:
Support Center	Glatopacare	1.855.GIATOPA (1.855.452.8672)	
Glatopacare Representative			
Glatopacare Nurse Trainer			
Neurologist			
Primary Care Physician			
Health Insurance			
Specialty Pharmacy			

Glatopa[®]
(glatiramer acetate injection)
20mg/mL • 40mg/mL



Rethink Generic. Go Glatopa[®]

Questions?
Call GlatopaCare[®]

1.855.GLATOPA
(1.855.452.8672)

SANDOZ A Novartis
Division

Glatopa, GlatopaCare, and Glatopaject are registered trademarks of Novartis AG.
©2018 Sandoz Inc., a Novartis Division, 100 College Road West, Princeton, NJ 08540.
All Rights Reserved.
S-GLA-1339548 02/2018