

BE PART OF **GENERATION G**

Glatopa: a generic glatiramer acetate with an identity all its own

A guide to Glatopa[®] (glatiramer acetate injection)
and GlatopaCare[®] patient support services



Join the more than **18,000 people** who
have already been prescribed Glatopa for MS

MS=multiple sclerosis.

Indication

Glatopa[®] (glatiramer acetate injection) is a prescription medicine used to treat relapsing-forms of multiple sclerosis (MS), to include clinically isolated syndrome, relapsing-remitting disease, and active secondary progressive disease, in adults.

Important Safety Information

Do not take Glatopa[®] if you are allergic to glatiramer acetate, mannitol, or any of the ingredients in Glatopa.

Please see additional Important Safety Information throughout and accompanying full Prescribing Information.

SANDOZ A Novartis
Division

Glatopa[®]
(glatiramer acetate injection)
20mg/mL • 40mg/mL

What is Glatopa?

Glatopa® (glatiramer acetate injection) is an FDA-approved, substitutable generic that is therapeutically equivalent to Copaxone® (glatiramer acetate injection). **That means it is made with the same active ingredient found in Copaxone.**

	Glatopa® (glatiramer acetate injection)	Copaxone® (glatiramer acetate injection)
Glatiramer acetate	✓	✓
Same treatment effect	✓	✓
Patient support services center	✓	✓
Co-Pay Savings Program	✓	✓
Injection device	✓	✓
Once-daily dosing (20 mg/mL)	✓	✓
3-times-a-week dosing (40 mg/mL)	✓	✓

More about Glatopa

- Glatiramer acetate, the same active ingredient found in Glatopa, has been used to treat relapsing forms of multiple sclerosis for more than 20 years
- Glatopa is injected under the skin (subcutaneous injection) and may be administered with the Glatopaject® injection device
- Glatopa is made in the United States

Copaxone is a registered trademark of Teva Pharmaceutical Industries Ltd.

Important Safety Information (cont'd)

Some patients report a short-term reaction right after or within minutes after injecting glatiramer acetate. This reaction can involve flushing (feeling of warmth and/or redness), chest tightness or pain, fast heartbeat, anxiety, and trouble breathing. These symptoms generally appear within seconds to minutes of an injection, last about 15 minutes, and do not require specific treatment. During the postmarketing period, there have been reports of patients with similar symptoms who received emergency medical care.

If symptoms become severe, call the emergency phone number in your area. Call your doctor right away if you develop hives, skin rash with irritation, dizziness, sweating, chest pain, trouble breathing, or severe pain at the injection site. If any of the above occurs, do not give yourself any more injections until your doctor tells you to begin again.

GlatopaCare[®] can help

Enrolling in GlatopaCare is a simple way to ensure you get the most out of your Glatopa treatment. GlatopaCare support services are also available to family and caregivers.



Find out about \$0 co-pay

You may be eligible* for \$0 out-of-pocket for your monthly Glatopa prescription.



Meet your GlatopaCare Representative

Your GlatopaCare Representative can help you with any questions regarding insurance and connect you with a **Nurse Trainer**.



Schedule your free injection training with a GlatopaCare Nurse Trainer

Your GlatopaCare Nurse Trainer can meet with you at your home or talk to you over the phone. **He or she will provide instructions on how to administer Glatopa with the Glatopaject[®] injection device.**

97% of Glatopa patients were satisfied with their GlatopaCare experience

*Glatopa Co-Pay Program Eligibility

The Glatopa Co-Pay Program provides up to \$9000 in annual co-pay support for Glatopa prescriptions. This program is not health insurance. This program is for insured patients only; uninsured cash-paying patients are not eligible. Patients are not eligible if prescriptions are paid, in whole or in part, by any state or federally funded programs, including but not limited to Medicare (including Part D, even in the coverage gap) or Medicaid, Medigap, VA, DOD, or TriCare, or private indemnity, or HMO insurance plans that reimburse you for the entire cost of your prescription drugs, or where prohibited by law. Card may not be combined with any other rebate, coupon, or offer. Card has no cash value. Sandoz reserves the right to rescind, revoke, or amend this offer without further notice.

Please see additional Important Safety Information throughout and accompanying full Prescribing Information.

Glatopa[®]
(glatiramer acetate injection)
20mg/mL • 40mg/mL



For seamless starts and patient support, Go Glatopa

GlatopaCare® has 3 easy ways to enroll

1

Fill out a Service Request Form with your doctor

OR

2

Call or text "ENROLL" to 1.855.GLATOPA (1.855.452.8672). Dedicated representatives are available Monday through Friday from 8 AM – 8 PM ET. If after hours, you may leave a message.

OR

3

Visit glatopa.com/enroll

Once you enroll, you can start getting help right away

Important Safety Information (cont'd)

Chest pain may occur either as part of the immediate post-injection reaction or on its own. This pain should only last a few minutes. You may experience more than one such episode, usually beginning at least one month after starting treatment. Tell your doctor if you experience chest pain that lasts for a long time or feels very intense.

A permanent indentation under the skin (lipoatrophy) or, rarely, necrosis at the injection site may occur, due to local destruction of fat tissue. Be sure to follow proper injection technique and inform your doctor of any skin changes.

The most common side effects in studies of glatiramer acetate injection are redness, pain, swelling, itching, or a lump at the site of injection, flushing, rash, shortness of breath, and chest pain. These are not all of the possible side effects of glatiramer acetate. For a complete list, ask your doctor or pharmacist. Tell your doctor about any side effects you have while taking Glatopa.

To report SUSPECTED ADVERSE REACTIONS, contact Sandoz Inc. at 1-800-525-8747 or FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

Please see additional Important Safety Information throughout and accompanying full Prescribing Information.

Glatopa, GlatopaCare, and Glatopaject are registered trademarks of Novartis AG.

SANDOZ A Novartis
Division

© 2019 Sandoz Inc. a Novartis Division. 100 College Road West, Princeton, NJ 08540.
All Rights Reserved. S-GLA-1378779 08/2019

Glatopa®
(glatiramer acetate injection)
20mg/mL • 40mg/mL